



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2016011001866378

Valid from: Aug.21,2023

Valid until: Aug.20,2028

| | |
|--|--|
| NAME AND REGISTERED ADDRESS OF THE APPLICANT | iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, Italy |
| NAME AND REGISTERED ADDRESS OF THE MANUFACTURER | iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, Italy |
| NAME AND LOCATION OF THE FACTORY | iGuzzini Lighting (China) Co., Ltd. F1&F2, Bld 2, No. 2758 Huan Cheng West Road, Fengxian District, Shanghai, P.R.CHINA |
| PRODUCT MODEL(S) | Recessed Luminaires For LED Modules (Ceiling Recessed, A.C. Supplied Electronic Controlgear For LED Modules, ClassII, IP20, Suitable For Direct Mounting On Normally Flammable Material, Not Covered By Insulating Material) See Appendix. 220/240V ~ 50/60Hz |
| STANDARDS AND TECHNICAL REQUIREMENTS | GB 17625.1-2012;GB/T 17743-2021;GB 7000.1-2015;GB 7000.202-2008 |

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: May.13,2016

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2016011001866378

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

蓝光危害 RG1 :

P187 30.8W(8×1.6W+7×2.1W/LED) , P192 30.8W(8×1.6W+7×2.1W/LED) ,
P193 30.8W(8×1.6W+7×2.1W/LED) , P196 30.8W(8×1.6W+7×2.1W/LED) ,
P199 30.8W(8×1.6W+7×2.1W/LED) , QL32 30.8W(8×1.9W+7×1.6W/LED) ,
QL33 30.8W(8×1.9W+7×1.6W/LED) , QD43 30.8W(8×1.9W+7×1.6W/LED) ,
QL48 30.8W(8×1.9W+7×1.6W/LED) , QL63 30.8W(8×1.9W+7×1.6W/LED) ;

蓝光危害 RG2 :

Q786 32.8W(7×1.7W+8×2W/LED) , Q787 32.8W(7×1.7W+8×2W/LED) ,
Q788 32.8W(7×1.7W+8×2W/LED) , QJ47 32.8W(8×2W+7×1.7W/LED) ,
QJ48 32.8W(8×2W+7×1.7W/LED) , QJ49 32.8W(8×2W+7×1.7W/LED) ,
Q802 28.4W(7×1.5W+8×1.7W/LED) , QD76 28.4W(8×1.7W+7×1.5W/LED) ,
QJ67 28.4W(8×1.7W+7×1.5W/LED) , QJ85 28.4W(8×1.7W+7×1.5W/LED).

Input : 220/240V ~ 50/60Hz.



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号: 2016011001866378

发证日期: 2023年08月21日
有效期至: 2028年08月20日

| | |
|---------------------------|---|
| 认证委托人名称 及注册地址 | iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, 意大利 |
| 产品生产者名称 及注册地址 | iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, 意大利 |
| 生产企业名称 及生产地址 | 依古姿妮照明(中国)有限公司 上海市奉贤区环城西路2758号2幢1、2层 |
| 产品名称和系列、 规格、型号 | 嵌入式灯具(嵌天花板式, LED 模块用交流电子控制装置, II类, IP20, 适宜直接安装在普通可燃材料表面, 不能被隔热材料覆盖) 见附件. 220/240V ~ 50/60Hz |
| 产品标准和 技术要求 | GB 17625.1-2012;GB/T 17743-2021;GB 7000.1-2015;GB 7000.202-2008 |

上述产品符合 CNCA-C10-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2016年05月13日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2016011001866378

第 1 页 / 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

蓝光危害 RG1：

P187 30.8W(8×1.6W+7×2.1W/LED)，P192 30.8W(8×1.6W+7×2.1W/LED)，
P193 30.8W(8×1.6W+7×2.1W/LED)，P196 30.8W(8×1.6W+7×2.1W/LED)，
P199 30.8W(8×1.6W+7×2.1W/LED)，QL32 30.8W(8×1.9W+7×1.6W/LED)，
QL33 30.8W(8×1.9W+7×1.6W/LED)，QD43 30.8W(8×1.9W+7×1.6W/LED)，
QL48 30.8W(8×1.9W+7×1.6W/LED)，QL63 30.8W(8×1.9W+7×1.6W/LED)；

蓝光危害 RG2：

Q786 32.8W(7×1.7W+8×2W/LED)，Q787 32.8W(7×1.7W+8×2W/LED)，
Q788 32.8W(7×1.7W+8×2W/LED)，QJ47 32.8W(8×2W+7×1.7W/LED)，
QJ48 32.8W(8×2W+7×1.7W/LED)，QJ49 32.8W(8×2W+7×1.7W/LED)，
Q802 28.4W(7×1.5W+8×1.7W/LED)，QD76 28.4W(8×1.7W+7×1.5W/LED)，
QJ67 28.4W(8×1.7W+7×1.5W/LED)，QJ85 28.4W(8×1.7W+7×1.5W/LED)。
均为 220/240V ~ 50/60Hz。



中国质量认证中心