



BeTwo Living together


Lighting innovation for people.

Living together

BeTwo is a minimal pendant and surface lamp with two elements whose essence is to be joined through a void. Formal and social empathy - because living together is to experience happiness. The visual concept is inspired by Newton's Cradle, a pastime that uses a

physical law to create a rhythmic and composed movement of a set of metal spheres hanging from a small frame structure. Designer Alfonso Femia conceived BeTwo in relation to this sophisticated and relaxing composition.

Betwo is a game. The system is suspended with extreme delicacy and the individual components, in addition to being securely fixed, can also compose a complex play of elements of different sizes and different heights. - A. Femia



Two in one.

BeTwo is an eclectic lighting artefact that plays with solids and voids to generate delicacy and identity.

Betwo
Living together



BeTwo Pure
Ø 234



Ø 114



Ø 172



Ø 234





Overhead composition

Design space by configuring suspended geometries

Two aspects, held together by a slot, whose essence is to compose a slot, a thin line of shadow to achieves overall lightness.

The mounting system is also an essential feature of the product's design, helping to outline spaces and configuring the height and width of suspended geometries.

Two pairs of slim power cables open and close by sliding a transparent button. This creates area architectures that design space and, at the same time, communicate delicacy and harmony.





BeTwo Pure

Opti Diamond is the protagonist of the BeTwo Pure version, revealing the prestigious finish - transparent and bright crown.



Colour combinations

Two cylindrical elements assembled in monochrome, two-tone and dual-material

BeTwo Pure



Champagne / Pure



Black / Pure



White / Pure

BeTwo



White / Champagne



Black / Champagne




White / White



Black/black

versions.

Distinctive and minimal finishes in black and white, sophisticated solutions such as champagne or even precious effects exploiting the brightness of diamonds.



Clear white



Clear black



Spaciousness effect

Light emission, even up/down, returns



Light emission returns three-dimensions to the space, adjusting the luminance levels over various levels and ensuring visual well-being.

The new Opti Diamond system combines aesthetics and performance, adding prestige to the ceiling and space, as

well as visual comfort, better visual perception and very high luminous efficiency, alongside contributing towards responsible use of energy.

Two distributions: general light, even up/down, and controlled light, with UGR <19 and luminance <3000 cd/m².



Smart lighting


Correct and responsible light



iGuzzini Smart Light 2



Voice control



Smart lighting transforms technology into well-being and sustainability, while also increasing energy savings by an additional 25% to achieve an absolute saving of 90%. This is why we seek to make controlled use of light even easier through simple, common digital devices. The BLE-DALI interface means that BeTwo can be managed

via the iGuzzini Smart Light Control 2 app or voice control, thereby encouraging targeted use of light only where and when necessary.

It is also possible to enable Smart Services, thanks to the beacon integrated into the interface.

155 lm/W

Up to 155lm/W system efficiency

> 55%

More than 55% energy savings (LED vs HST)



+25%

25% additional savings with the use of control systems



Beyond light.

BeTwo integrates other functions, beyond light. Through the beacon built into the interface push notification, indoor navigation and space management services can all be activated to create guided routes, such as in exhibition spaces, or by facilitating the best use of space, as in workplaces.



App Jiminy

Overview

BeTwo Living together

Pendant




ø 114 mm
Up to 1566lm
General lighting

ø 172 mm
Up to 6019 lm
General lighting
UGR<19

ø 234 mm
Up to 8352 lm
General lighting
UGR<19

Power strip with suspension
cables for surface-mounted
version



Power strip with suspension
cables for recessed version



Track type



ø 172 mm
Up to 2780 lm
General lighting
UGR<19

ø 234 mm
Up to 4570 lm
General lighting
UGR<19

Ceiling mounted



ø 114 mm
Up to 1566lm
General lighting

ø 172 mm
Up to 2780 lm
General lighting
UGR<19

ø 234 mm
Up to 4570 lm
General lighting
UGR<19

Body finishes



White

Black

White /
Champagne

Black
Champagne



White / Pure

Black / Pure

Champagne /
Pure

Optic finishes



Clear white

Clear black

Keep exploring Betwo
www.iguzzini.com/betwo-living-together/



Credits
Coordinamento editoriale
iGuzzini illuminazione
Printing
Centroffset - Fabriano (RE)
Rendering
iGuzzini



